


Claims

1. A compound of formula (I) or a pharmaceutically acceptable salt thereof:

5



(I)

wherein:

- R_1 is halogen, cyano, C_{1-6} alkyl, C_{3-7} cycloalkyl, C_{3-7} cycloalkyloxy, C_{1-6} alkoxy, C_{1-6} alkylthio, hydroxy, amino, mono- or di- C_{1-6} alkylamino, an N-linked 4 to 7 membered heterocyclic group, nitro, halo C_{1-6} alkyl, halo C_{1-6} alkoxy, aryl, $-COOR_3$, $-COR_4$ (wherein R_3 and R_4 are independently hydrogen or C_{1-6} alkyl) or $-COR_5$ (wherein R_5 is amino, mono- or di- C_{1-6} alkylamino or an N-linked 4 to 7 membered heterocyclic group);
- p is 0, 1 or 2 or 3;
- Q is a 6-membered aromatic group or a 6-membered heteroaromatic group;
- A is $-(CH_2-CH_2)-$, $-(CH=CH)-$, or a group $-(CHR_7)-$ wherein R_7 is hydrogen, halogen, hydroxy, cyano, nitro, C_{1-6} alkyl, C_{3-7} cycloalkyl, C_{3-7} cycloalkyloxy, halo C_{1-6} alkyl, C_{1-6} alkoxy, halo C_{1-6} alkoxy or C_{1-6} alkylthio;
- R_2 is hydrogen, halogen, hydroxy, cyano, nitro, C_{1-6} alkyl, C_{1-6} alkanoyl, C_{3-7} cycloalkyl, C_{3-7} cycloalkyloxy, halo C_{1-6} alkyl, C_{1-6} alkoxy, halo C_{1-6} alkoxy, C_{1-6} alkylthio, amino, mono- or di- C_{1-6} alkylamino or an N-linked 4 to 7 membered heterocyclic group;
- X is oxygen, sulfur, $-CH_2-$ or NR_8 wherein R_8 is hydrogen or C_{1-6} alkyl;
- Y is a single bond, $-CH_2-$, $-(CH_2)_2-$ or $-CH=CH-$; and
- Z is an optionally substituted N-linked heterocyclic group or a C-linked 4 to 7 membered heterocyclic group containing at least one nitrogen, or Z is $-NR_9R_{10}$ where R_9 and R_{10} are independently hydrogen or C_{1-6} alkyl.

2. A compound as claimed in claim 1, wherein when R_7 is hydrogen.


3. A compound as claimed in claim 1 or claim 2, wherein A is CH_2- .

4. A compound as claimed in any of claims 1-3, wherein Q is phenyl.


5. A compound as claimed in any of claims 1-4, wherein p is 1, 2 or 3, and R_1 is/are halogen (particularly chloro or fluoro), C_{1-6} alkyl (particularly methyl) or CF_3 .

6. A compound as claimed in any of claims 1-5, wherein when R_1 is attached at the position marked below with an asterisk, R_1 is fluoro:

5




7. A compound as claimed in any of claims 1-6, wherein when Q is phenyl and p is 1, R_1 is attached at the position marked below with an asterisk:



10

8. A compound as claimed in any of claims 1-7, wherein when Q is phenyl and p is 2 or 3, R_1 is attached at two or more of the positions marked below with arrows:



9. A compound as claimed in any of claims 1-8, wherein R_2 is C_{1-6} alkoxy, particularly methoxy.

15

10. A compound as claimed in any of claims 1-9, wherein X is oxygen.


11. A compound as claimed in any of claims 1-10, wherein Y is $-CH_2-$.

20

12. A compound as claimed in any of claims 1-11, wherein Z is an optionally substituted N-linked 4 to 7 membered heterocycle, in particular optionally substituted piperidyl.

13. A compound as claimed in claim 1 having the formula (Ia):

25



wherein R_1 , p , R_2 , X , Y , Z , are as defined in any of claims 1-12 and A_1 is $-CH_2-$ or $-HC(Me)-$.

5

14. A compound as claimed in claim 1, which is

2-[4-Methoxy-3-(2-piperidin-1-yl-ethoxy)phenyl]-2,3-dihydroisoindol-1-one

6-Fluoro-2-[4-methoxy-3-(2-piperidin-1-yl-ethoxy)phenyl]-2,3-dihydroisoindol-1-one

10 7-Bromo-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one hydrochloride

7-Chloro-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-3-methyl-2,3-dihydroisoindol-1-one

15 2-[4-Methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-7-trifluoromethyl-2,3-dihydroisoindol-1-one

5,7-Dichloro-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

7-Chloro-2-[4-methoxy-3-(2-piperidin-1-yl-ethoxy)phenyl]-2,3-dihydroisoindol-1-one

20 6-Chloro-2-[4-methoxy-3-(2-piperidin-1-yl-ethoxy)phenyl]-2,3-dihydroisoindol-1-one hydrochloride

5-Chloro-2-[4-methoxy-3-(2-piperidin-1-yl-ethoxy)phenyl]-2,3-dihydroisoindol-1-one

5,7-Dichloro-2-[4-methoxy-3-[2-(*cis*-2,6-dimethyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

25 7-Chloro-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

6-Chloro-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

5-Chloro-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

30 7-Methyl-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

6,7-Difluoro-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one


35 5,6-Dichloro-2-[4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

7-Fluoro-2-[4-methoxy-3-(2-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

4-Fluoro-2-[4-methoxy-3-(2-piperidin-1-yl)-ethoxy]phenyl]-2,3-dihydroisoindol-1-one

- 5,7-Dimethyl-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-2,3-dihydroisoindol-1-one
 6,7-Dichloro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-2,3-dihydroisoindol-1-one
 5 5-Fluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-7-trifluoromethyl-2,3-dihydroisoindol-1-one
 7-Chloro-4,5-difluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-2,3-dihydroisoindol-1-one
 4-Fluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-7-trifluoromethyl-2,3-dihydroisoindol-1-one
 10 4-Fluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-7-trifluoromethyl-2,3-dihydroisoindol-1-one
 4-Fluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-7-trifluoromethyl-2,3-dihydroisoindol-1-one
 4-Fluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-7-trifluoromethyl-2,3-dihydroisoindol-1-one
 15 4-Fluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-7-trifluoromethyl-2,3-dihydroisoindol-1-one
 5,7-Dichloro-2-{4-methoxy-3-[2-(4,4-dimethyl-piperidin-1-yl)-ethoxy]phenyl}-2,3-dihydroisoindol-1-one
 5,7-Dichloro-2-{4-methoxy-3-[2-(azepan-1-yl)-ethoxy]phenyl}-2,3-dihydroisoindol-1-one
 20 5,7-Dichloro-2-{4-methoxy-3-[2-(2-methyl-piperidin-1-yl)-ethoxy]phenyl}-2,3-dihydroisoindol-1-one
 6-{4-Methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]-phenyl}-2-methyl-4-trifluoromethyl-6,7-dihydro-pyrrolo[3,4-*b*]pyridin-5-one
 5,7-Dichloro-4-fluoro-2-{4-methoxy-3-[2-(4-methyl-piperidin-1-yl)-ethoxy]phenyl}-2,3-dihydroisoindol-1-one
 25 or a pharmaceutically acceptable salt thereof.

15. A process for the preparation of a compound as claimed in any of claims 1-14 or a pharmaceutically acceptable salt thereof, which process comprises:
 30 (a) reacting a compound of formula (II):



(II)


- wherein R_1 , R_2 , p , A , X , and Y are as defined for formula (I), and L is a leaving group,
 35 with a compound of formula (III):



wherein Z is as defined for formula (I); or


5

(b) reacting a compound of formula (IV):




wherein Rx is alkyl and LG is a suitable leaving group, with a compound of formula (V) or a corresponding salt:

10



or

(c) reacting a compound of formula (VI):



- 15 with a compound of formula (V) in the presence of AlMe_3 or a similar oxophilic reagent followed by treatment of the resulting amide under dehydrating conditions, e.g. with PPh_3 and dialkylazadicarboxylate;
- and thereafter, for either process (a), process (b) or process (c), optionally followed by:
- removing any protecting groups; and/or
 - 20 • converting a compound of formula (I) into another compound of formula (I); and/or
 - forming a pharmaceutically acceptable salt.

16. A pharmaceutical composition comprising a compound as defined in any of claims 1-14 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier or excipient.
- 5 17. A process for preparing a pharmaceutical composition as defined in claim 16, the process comprising mixing a compound as defined in any of claims 1-14 or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier or excipient.
- 10 18. A compound as defined in any of claims 1-14 or a pharmaceutically acceptable salt thereof for use as a therapeutic substance.
19. A compound as defined in any of claims 1-14 for use in the treatment of a CNS disorder such as depression or anxiety.
- 15 20. A method of treatment of a CNS disorder in mammals including humans, which comprises administering to the sufferer a therapeutically safe and effective amount of a compound as claimed in any of claims 1-14 or a pharmaceutically acceptable salt thereof.
- 20 21. A method as claimed in claim 20, wherein the CNS disorder is depression or anxiety.
22. Use of a compound as claimed in any of claims 1-14 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for use in the treatment of a
- 25 CNS disorder.
23. The use as claimed in claim 22, wherein the CNS disorder is depression or anxiety.